



Exibir Log

Esta funcionalidade tem como objetivo exibir o log do sistema, podendo ser acessada no caminho: [Gsan > Operacional > Exibir Log](#).

Inicialmente, o sistema exibe a tela informando o “Log” disponível. Selecione a opção desejada e clique no botão [Exibir](#).

The screenshot shows a user interface titled "Exibição do LOG-GSAN". At the top right, there is a breadcrumb navigation: "Gsan -> Operacional -> Exibir Log". Below the title, there is a dropdown menu labeled "Logs disponíveis:" with the option "server.log" selected. To the left of the dropdown is a "Menu Principal" button. To the right is an "Exibir" button. The background of the interface is light blue.

O sistema exibe o “Log” e no rodapé da tela, o usuário encontra várias opções de pesquisa em relação ao log exibido, conforme as “Orientações para Preenchimento”.

Exibição do LOG - Página Atual 1

```
2014-08-05 10:03:07,186 INFO [org.jboss.web.WebService] Using RMI server codebase: http://gsan237.ipad.com.br:8083/
2014-08-05 10:03:07,309 INFO [org.jboss.naming.NamingService] Started jndi bootstrap jnpPort=1099, rmiPort=0, backlog=50,
bindAddress=/0.0.0.0, Client SocketFactory=null, Server SocketFactory=org.jboss.net.sockets.DefaultSocketFactory@ad093076
2014-08-05 10:03:08,739 INFO [org.apache.catalina.startup.Embedded] Catalina naming disabled
2014-08-05 10:03:08,918 INFO [org.apache.coyote.http11.Http11Protocol] Initializing Coyote HTTP/1.1 on http-0.0.0.0-8080
2014-08-05 10:03:08,928 INFO [org.apache.catalina.startup.Catalina] Initialization processed in 165 ms
2014-08-05 10:03:08,930 INFO [org.jboss.web.tomcat.tc5.StandardService] Starting service jboss.web
2014-08-05 10:03:08,932 INFO [org.apache.catalina.core.StandardEngine] Starting Servlet Engine: Apache Tomcat/5.0.28
2014-08-05 10:03:08,942 INFO [org.apache.catalina.core.StandardHost] XML validation disabled
2014-08-05 10:03:08,950 INFO [org.apache.catalina.startup.Catalina] Server startup in 22 ms
2014-08-05 10:03:09,017 INFO [org.jboss.web.tomcat.tc5.TomcatDeployer] deploy, ctxPath=/invoker, warUrl=file:/usr/local/jboss/server/default
/deploy/http-invoker.sar/invoker.war/
2014-08-05 10:03:09,527 INFO [org.jboss.web.tomcat.tc5.TomcatDeployer] deploy, ctxPath=/ws4ee, warUrl=file:/usr/local/jboss/server/default
/tmp/deploy/tmp972774841534454650jboss-ws4ee.war/
2014-08-05 10:03:09,558 INFO [org.jboss.web.tomcat.tc5.TomcatDeployer] deploy, ctxPath=/, warUrl=file:/usr/local/jboss/server/default/deploy
/jbossweb-tomcat50.sar/ROOT.war/
2014-08-05 10:03:09,605 INFO [org.jboss.web.tomcat.tc5.TomcatDeployer] deploy, ctxPath=/jbossmq-httppi, warUrl=file:/usr/local/jboss/server
/default/deploy/jms/jbossmq-httppi.sar/jbossmq-httppi.war/
2014-08-05 10:03:09,980 INFO [org.jboss.mq.server.jmx.Queue.DLQ] Bound to JNDI name: queue/DLQ
2014-08-05 10:03:10,000 INFO [org.jboss.mq.il.ui2.UILServerILService] JBossMQ UIL service available at : /0.0.0.0:8093
2014-08-05 10:03:10,301 INFO [org.jboss.resource.deployment.RARDeployment] Required license terms exist view the META-INF/ra.xml:
file:/usr/local/jboss/server/default/deploy/jboss-local-jdbc.rar
2014-08-05 10:03:10,325 INFO [org.jboss.resource.deployment.RARDeployment] Required license terms exist view the META-INF/ra.xml:
file:/usr/local/jboss/server/default/deploy/jms/jms-ra.rar
2014-08-05 10:03:10,502 INFO [org.jboss.resource.connectionmanager.ConnectionFactoryBindingService] Bound connection factory for
resource adapter for ConnectionManager 'jboss.jca:service=ConnectionFactoryBinding,name=JmsXA' to JNDI name 'java:JmsXA'
2014-08-05 10:03:10,564 INFO [org.jboss.resource.adapter.jdbc.remote.WrapperDataSourceService] Bound connection factory for resource
adapter for ConnectionManager 'jboss.jca:service=DataSourceBinding,name=PostgresDS' to JNDI name 'java:PostgresDS'
/tmp7594010682993148271gcom.ear-content/ControldorCobrancaCAERN.jar
2014-08-05 10:03:29,508 INFO [org.jboss.ejb.EJBDeployer] Deployed: file:/usr/local/jboss/server/default/tmp/deploy
/tmp7594010682993148271gcom.ear-content/ControldorCobrancaCOMPESA.jar
2014-08-05 10:03:29,522 INFO [org.jboss.ejb.EJBDeployer] Deployed: file:/usr/local/jboss/server/default/tmp/deploy
/tmp7594010682993148271gcom.ear-content/ControldorCobrancaCOSAMA.jar
2014-08-05 10:03:29,529 INFO [org.jboss.ejb.EJBDeployer] Deployed: file:/usr/local/jboss/server/default/tmp/deploy
/tmp7594010682993148271gcom.ear-content/ControldorCobrancaCOSANPA.jar
2014-08-05 10:03:29,536 INFO [org.jboss.ejb.EJBDeployer] Deployed: file:/usr/local/jboss/server/default/tmp/deploy
/tmp7594010682993148271gcom.ear-content/ControldorCobrancaJUAZEIRO.jar
2014-08-05 10:03:29,544 INFO [org.jboss.ejb.EJBDeployer] Deployed: file:/usr/local/jboss/server/default/tmp/deploy
/tmp7594010682993148271gcom.ear-content/ControldorContratoParcelamentoGCOM.jar
2014-08-05 10:03:29,553 INFO [org.jboss.ejb.EJBDeployer] Deployed: file:/usr/local/jboss/server/default/tmp/deploy
/tmp7594010682993148271gcom.ear-content/ControldorEnderecoGCOM.jar
2014-08-05 10:03:29,596 INFO [org.jboss.ejb.EJBDeployer] Deployed: file:/usr/local/jboss/server/default/tmp/deploy
/tmp7594010682993148271gcom.ear-content/ControldorFaturamentoCAEMA.jar
2014-08-05 10:03:29,604 INFO [org.jboss.ejb.EJBDeployer] Deployed: file:/usr/local/jboss/server/default/tmp/deploy
/tmp7594010682993148271gcom.ear-content/ControldorFaturamentoCAER.jar
```

Página: Pesquisar

Pesquisar Por Palavra:

Exibir apenas as linhas que contém o texto
pesquisado:

As empresas que utilizam a versão do Gsan Postgree, receberão a tela abaixo, que além das opções mencionadas acima, poderão navegar nas páginas através dos botões:

-

- [Anterior](#);
- [Proxima](#); e
- [Ultima](#).

{image:Oper-ExibirLogPost.png}

1 Preenchimento dos Campos

{table} Campo|Orientações para Preenchimento

Página |Informe o número da página que deseja exibir em tela e clique no botão

{image:Pesquisar.png}.

Pesquisa por Palavra

|Informe a “palavra” que deseja exibir em tela e clique no botão {image:PesquisarPorPalavra.png}. O sistema faz a pesquisa e, caso encontre, será exibida em destaque.

Exibir apenas as linhas que contém o texto pesquisado|Informe o “texto” que deseja exibir as linhas que contém no texto da tela e clique no botão {image:PesquisarPorTexto.png}. O sistema faz a pesquisa e, caso encontre, será exibido em destaque. {table}

1 Funcionalidade dos Botões

{table} Botão|Descrição da Funcionalidade

{image:MenuPrincipal.png}| Ao clicar neste botão, o sistema retorna ao menu principal.

{image:Exibir.png}| Ao clicar neste botão, o sistema exibe o log com base no parâmetro de pesquisa.

{image:Primeira.png}| Ao clicar neste botão, o sistema exibe a tela com o conteúdo da primeira página do log.

{image:Anterior.png}| Ao clicar neste botão, o sistema retorna a exibição da tela anterior.

{image:Proxima.png}| Ao clicar neste botão, o sistema avança para a próxima página e exibe a tela referente a consulta do log. {image:Ultima.png}| Ao clicar neste botão, o sistema exibe a tela com o conteúdo da última página do log.

{image:Pesquisar.png}| Ao clicar neste botão, o sistema exibe a tela com o conteúdo da página informada. {image:PesquisarPorPalavra.png}| Ao clicar neste botão, o sistema exibe a tela com o conteúdo da palavra informada em destaque.

{image:PesquisarPorTexto.png}| Ao clicar neste botão, o sistema exibe a tela com o conteúdo do texto informado em destaque.

{image:Voltar.jpg}| Ao clicar neste botão, o sistema volta à tela de exibição do log.

Clique [aqui](#) para retornar ao Menu Principal do GSAN

From:

<https://www.gsan.com.br/> - Base de Conhecimento de Gestão Comercial de Saneamento

Permanent link:

https://www.gsan.com.br/doku.php?id=ajuda:operacional:exibir_log&rev=1445627648

Last update: **31/08/2017 01:11**

